

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Page: 1/10
Safety Data Sheet

Printing date: 04/22/2016 Revision: 04/22/2016

1 Identification

· Product identifier

· Trade name: Starrett M-1 All Purpose Lubricant Low VOC AEROSOL

· Product code: MI95173, MI93201

· Recommended use and restriction on use

· Recommended use: Lubricant

· Restrictions on use: Contact manufacturer

· Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

The L.S. Starrett Company 121 Crescent St.

Athol, MA 01331 (978) 249-3551

· Emergency telephone number:

ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

· Classification of the substance or mixture

Press. Gas H280 Contains gas under pressure; may explode if heated.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







GHS04 GHS07 GHS08

· Signal word: Danger

· Hazard statements:

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements:

P261 Avoid breathing mist/vapors/spray. P264 Wash thoroughly after handling.

P280 Wear protective gloves and eye protection.

P233 Keep container tightly closed.

P271 Use only outdoors or in a well-ventilated area.

P302+P352 IF ON SKIN: Wash with plenty of water.

(Cont'd. on page 2)

Page: 2/10

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/22/2016 Revision: 04/22/2016

Trade name: Starrett M-1 All Purpose Lubricant Low VOC AEROSOL

(Cont'd. of page 1)

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system
- NFPA ratings (scale 0 4)



Health = 1Fire = 2

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



1 Health = 1

2 Fire = 2

REACTIVITY Reactivity = 0

3 Composition/information on ingredients

· Chemical characterization: Mixtures

| · Components: | | | |
|---------------|---|--------|--|
| 64742-47-8 | Distillates (petroleum), hydrotreated light | 60-80% | |
| | Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315; STOT SE 3, H336 | | |
| | carbon dioxide | 2.5-5% | |
| | Press. Gas, H280 | | |

· Additional information: For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information:

In case of irregular breathing or respiratory arrest provide artificial respiration.

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Cont'd. on page 3)

Page: 3/10

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/22/2016 Revision: 04/22/2016

Trade name: Starrett M-1 All Purpose Lubricant Low VOC AEROSOL

(Cont'd. of page 2)

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Most important symptoms and effects, both acute and delayed: Slight irritant effect on eyes.
- · Danger:

May be fatal if swallowed and enters airways.

Danger of impaired breathing.

Causes skin irritation.

Vapors have narcotic effect.

· Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Keep away from ignition sources.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Page: 4/10

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/22/2016 Revision: 04/22/2016

Trade name: Starrett M-1 All Purpose Lubricant Low VOC AEROSOL

(Cont'd. of page 3)

7 Handling and storage

- · Handling
- · Precautions for safe handling:

No special precautions are necessary if used correctly.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

· Information about protection against explosions and fires:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· **Specific end use(s):** No relevant information available.

8 Exposure controls/personal protection

Control parameters

| · Components with limit values that require monitoring at the workplace: | | | |
|--|---|--|--|
| 64742-47-8 Distillates (petroleum), hydrotreated light | | | |
| EL (Canada) | Long-term value: 200 mg/m³ Skin | | |
| 124-38-9 carbo | 124-38-9 carbon dioxide | | |
| PEL (USA) | Long-term value: 9000 mg/m³, 5000 ppm | | |
| REL (USA) | Short-term value: 54000 mg/m³, 30000 ppm Long-term value: 9000 mg/m³, 5000 ppm | | |
| TLV (USA) | Short-term value: 54000 mg/m³, 30000 ppm Long-term value: 9000 mg/m³, 5000 ppm | | |
| EL (Canada) | Short-term value: 15000 ppm Long-term value: 5000 ppm | | |
| EV (Canada) | Short-term value: 54000 mg/m³, 30000 ppm Long-term value: 9000 mg/m³, 5000 ppm | | |
| LMPE (Mexico) | Short-term value: 30000 ppm Long-term value: 5000 ppm | | |

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Engineering controls: Provide adequate ventilation.

(Cont'd. on page 5)

Page: 5/10

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/22/2016 Revision: 04/22/2016

Trade name: Starrett M-1 All Purpose Lubricant Low VOC AEROSOL

(Cont'd. of page 4)

- · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

· Body protection: Protective work clothing

9 Physical and chemical properties

| Appearance: | |
|--------------------------------|--|
| Form: | Aerosol |
| Color: | Amber colored |
| Odor: | Characteristic |
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| Melting point/Melting range: | Not determined. |
| Boiling point/Boiling range: | Boiling Point Range: 370 - 470 ° F / 187.8 - 243.3 °C. |
| | Not applicable, as aerosol. |
| Flash point: | 67 °C (153 °F) |
| Flammability (solid, gaseous): | Not applicable. |
| Auto-ignition temperature: | 210 °C (410 °F) |
| Decomposition temperature: | Not determined. |

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/22/2016 Revision: 04/22/2016

Trade name: Starrett M-1 All Purpose Lubricant Low VOC AEROSOL

| | | (Cont'd. of page 5) |
|--|--|---------------------|
| · Danger of explosion: | Not determined. | |
| · Explosion limits Lower: Upper: | 0.5 Vol % 6.5 Vol % | |
| · Vapor pressure at 21 °C (70 °F): | 59700 hPa (44779 mm Hg) (866 psia) | |
| Density at 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: | 0.8 g/cm³ (6.676 lbs/gal) Not determined. Not determined. Not applicable. | |
| · Solubility in / Miscibility with Water: | Not miscible or difficult to mix. | |
| · Partition coefficient (n-octanol/water): Not determined. | | |
| Viscosity Dynamic: Kinematic: Other information | Not determined. Not determined. No relevant information available. | |

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions:

Danger of receptacles bursting because of high vapor pressure if heated.

Reacts with strong oxidizing agents.

- · Conditions to avoid: No relevant information available.
- · **Incompatible materials:** No relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: No irritant effect.
- · On the eye:

Irritating effect.

Slight irritant effect on eyes.

· Sensitization: No sensitizing effects known.

(Cont'd. on page 7)

Page: 7/10

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/22/2016 Revision: 04/22/2016

Trade name: Starrett M-1 All Purpose Lubricant Low VOC AEROSOL

(Cont'd. of page 6)

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Skin contact.

Eve contact.

Ingestion.

Inhalation.

· Acute effects (acute toxicity, irritation and corrosivity):

Fatal if swallowed or in contact with skin.

Vapors have narcotic effect.

Irritating to skin.

- · Repeated dose toxicity: From product as supplied: None.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause drowsiness or dizziness.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: May be fatal if swallowed and enters airways.

12 Ecological information

- · I oxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability Moderately /partly biodegradable
- · Bioaccumulative potential:

Due to the distribution coefficient n-octanol/water an accumulation in organisms is possible.

- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects: No relevant information available.

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/22/2016 Revision: 04/22/2016

Trade name: Starrett M-1 All Purpose Lubricant Low VOC AEROSOL

(Cont'd. of page 7)

(Cont'd. on page 9)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packagings
- **Recommendation:** Disposal must be made according to official regulations.

| 4 Transport information | |
|---|--|
| · UN-Number · DOT, ADR, IMDG, IATA | UN1950 |
| · UN proper shipping name · DOT, IATA · ADR · IMDG | AEROSOLS, flammable 1950 AEROSOLS AEROSOLS |
| · Transport hazard class(es) | |
| · DOT | |
| | |
| · Class · Label | 2.1 2.1 |
| · ADR | |
| 1 1 1 1 1 1 1 1 1 1 | |
| · Class | 2 5F Gases |
| · Label | 2.1 |
| · IMDG, IATA | |
| · Class | 2.1 |
| · Label | 2.1 |

Page: 9/10

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/22/2016 Revision: 04/22/2016

Trade name: Starrett M-1 All Purpose Lubricant Low VOC AEROSOL

| | (Cont'd. of page 8) | |
|--|---|--|
| · Packing group | This UN-number is not assigned a packing group. | |
| · Environmental hazards · Marine pollutant: | No | |
| Special precautions for user Danger code (Kemler): EMS Number: | Warning: Gases - F-D,S-U | |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. | | |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 04/22/2016 Revision: 04/22/2016

Trade name: Starrett M-1 All Purpose Lubricant Low VOC AEROSOL

(Cont'd. of page 9)

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 04/22/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Press. Gas: Gases under pressure: Compressed gas

Press. Gas: Gases under pressure: Liquefied gas

Flam. Liq. 3: Flammable liquids, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Asp. Tox. 1: Aspiration hazard, Hazard Category 1